JOURNAL OF ROBOTIC SYSTEMS

INDEX TO VOLUME 12

ISSUES 1–12, 1995

An Interscience® Publication
Published by John Wiley & Sons, Inc.

© 1995 by John Wiley & Sons, Inc.

JOURNAL OF ROBOTIC SYSTEMS

Editors

Gerardo Beni and Susan Hackwood
College of Engineering
University of California, Riverside
Riverside, California

Editorial Board

J. Albus
National Institute of Standards and Technology, Gaithersburg, Maryland

S. Arimoto
University of Tokyo, Tokyo, Japan

R. Bajcsy
University of Pennsylvania, Philadelphia, Pennsylvania

B.G. Batchelor
University of Wales, Cardiff, Wales

A.K. Bejczy
Jet Propulsion Laboratory, Pasadena, California

P. Dario
University of Pisa, Italy

E. Freund
Universität Dortmund, Dortmund, Germany

T. Fukuda
Nagoya University, Nagoya, Japan

K. Furuta
Tokyo Institute of Technology, Tokyo, Japan

E. Hall
University of Cincinnati, Cincinnati, Ohio

H. Hanafusa
Ritsumeikan University, Kyoto, Japan

S. Hirose
Tokyo Institute of Technology, Tokyo, Japan

H. Inoue
University of Tokyo, Tokyo, Japan

R. Kelley
Rensselaer Polytechnic Institute, Troy, New York

H. Miura
University of Tokyo, Tokyo, Japan

A. Oosterlinck
Catholic University of Leuven, Heverlee, Belgium

A.C. Sanderson
Rensselaer Polytechnic Institute, Troy, New York

G.N. Saridis
Rensselaer Polytechnic Institute, Troy, New York

Y. Shirai
Osaka University, Osaka, Japan

J.P. Trevelyan
University of Western Australia, Nedlands, Australia

S. Tsuji
Osaka University, Osaka, Japan

M. Uchiyama
Tohoku University, Sendai, Japan

Y. Umetani
Tokyo Institute of Technology, Tokyo, Japan

Editorial Production

Joanne Sickler
College of Engineering
University of California, Riverside
Riverside, California

Hattie Heavner
John Wiley & Sons, Inc.

Associate Editor for Dynamics, Kinematics, and Control

J.M. McCarthy
University of California, Irvine
Irvine, California

The *Journal of Robotic Systems* (ISSN: 0741-2223) is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Copyright © 1995 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 and 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, 508-750-8400, fax 508-750-4470. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the United States Copyright Law. The per-copy fee is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volume 12, 1995): $744.00 in US, $864.00 in Canada and Mexico, $909.00 outside North America. All subscriptions outside US will be sent by air. Personal rate: $149.00 in US, $209.00 outside North America. Subscriptions at the personal rate are available only to individuals. Payment must be made in US dollars drawn on a US bank. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645; E-mail: SUBINFO@jwiley.com.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits.

Postmaster: Send address changes to *Journal of Robotic Systems*, Susan Malawski, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

Advertising Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158; (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO 19 1UD, England.

Reprints: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: (212) 850-8776.

Manuscripts should be submitted to the Editors, Dr. G. Beni or Dr. S. Hackwood, *Journal of Robotic Systems*, College of Engineering, University of California—Riverside, Riverside, CA 92521-0425. Information for contributors appears in the first and last issues of each volume.

Other Correspondence: Address all other correspondence to *Journal of Robotic Systems*, Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Computer and Control Abstracts, Compumath, Computer & Information Systems Abstracts, Current Contents/Engineering, Technology & Applied Sciences, Current Papers on Computers & Control, Current Papers in Electrical & Electronics Engineering, Electrical & Electronics Abstracts, Engineering Index, Research Alert, Science Citation Index, and SCISEARCH Database.*

This journal is printed on acid-free paper.

Journal of Robotic Systems

Author Index to Volume 12

Abdallah, C. T., see Bridges, M. M.
Angeles, J., see Daniali, H. R. M.
Angeles, J., see Etemadi-Zanganeh

Balafoutis, C. A., see Lin, Z. C.
Bedrossian, N. S., Feedback linearization of robot manipulators and Riemannian curvature, 541
Benhabib, B., see Croft, E. A.
Benhabib, B., see He., X.
Bergerman, M., A dynamic coupling index for underactuated manipulators, 693
Bobrow, J. E., see Park, F. C.
Borenstein, J., Internal correction of dead-reckoning errors with a dual-dive compliant linkage mobile robot, 257
Boyer, F., Simulation of an open chain of flexible links in a mixed formalism, 613
Bridges, M. M., Control of rigid-link, flexible-joint robots: a survey of backstepping methods, 199
Brown, H. B. Jr., see Feliu, V.
Burdick, J. W., see Rimon, E.

Canny, J. F. A., RISC approach to sensing and manipulation, 351
Chen, T.-H., see Cheng, F.-T.
Chen, C. C., see Wang, L.-C.
Chen, M. Z., Vibration-free handling of deformable beams by robot end-effectors, 331
Chen, Y., Optimal trajectory planning for a space robot docking with a moving target via homotopy algorithms, 531
Cheng, F.-T., Control and simulation for a closed-chain dual redundant manipulator system, 119
Cheng, W.-H., see Yao, C.-M.
Chirikjian, G. S., see Ebert-Uphoff, I.
Choi, S.-B., Control of a single-link flexible manipulator fabricated from composite laminates, 45
Cohn, M. B., Surgical applications of milli-robots, 401
Coiffet, P., see Boyer, F.
Coiffet, P., see Zhou, J.
Colbaugh, R., Performased-based adaptive tracking control of robot manipulators, 517
Crawford, L. S., see Cohn, M. B.
Croft, E. A., Near-time optimal robot motion planning for on-line applications, 553
Curran, A., Sensor-based self-localization for wheeled mobile robots, 163

Daniali, H. R. M., The isotropic design of two general classes of planer parallel manipulators, 795
Dawson, M., see Lim, S. Y.
Dawson, D. M., see Bridges, M. M.

Ebert-Uphoff, I., Efficient workspace generation for binary manipulators with many actuators, 383
Eltze, J., Optimization of a leg design, 757
Etemadi-Zanganeh, K., Real-time direct kinematics of general six-degree-of-freedom parallel manipulators with minimum sensor data, 833
Everett, L. J., Improved manipulator performance through local D-H calibration, 505

Feliu, V., Control of a two-degree-of-freedom lightweight flexible arm with friction in the joints, 1
Fenton, R. G., see Croft, A. E.
Ferraresi, C., 883, Static and dynamic behavior of a high stiffness Stewart platform-based force/torque sensor, 883
Freeman, R., see Ting, Y.

Gandhi, M. V., see Choi, S.-B.
Gini, G., Toward efficient path-planning for articulated robots, 93
Glass, K., see Lei, J.
Goldberg, K. Y., see Canny, J. F. A.
Goldberg, K. Y., see Rao, A. S.
Gonzalez de Santos, P., Generation of discontinuous gaits for quadraped walking vehicles, 599
Gosselin, C. M., Simulation and computer-aided kinematic design of three-degree-of-freedom spherical parallel manipulators, 857
Gupta, K. K., Practical global motion planning for many degrees of freedom: a novel approach within sequential framework, 105
Gurocak, H. B., Fuzzy logic and position sensing for precision assembly, 135

Hanson, M. L., Reducing flexible base vibrations through local redundancy resolution, 767
He, X., CAD-based off-line planning for active vision, 677

Hershkovitz, M., Toward a formulation of the human grasping quality sense, 249
Ho, Y. K., Robust control of a manipulator performing constrained motion with uncertainies in the constraint functions, 747
Hu, J., see Lim, S. Y.
Huang, M. Z., see Varma, K. R. H.

Ider, S. K., Inverse dynamics of redundant manipulators using a minimum number of control forces, 569
Innocenti, C., Analytical form direct kinematics for the second scheme of a 5-5 general-geometry fully parallel manipulator, 661

Janabi-Sharifi, F., see Mayorga, R. V.
Jiahua, Y., see Masory, O.
Jimenez, M. A., see Gonzalez de Samtos, P.

Kazerounian, K., see Wang, Z.
Kelly, S. D., Geometric phases and robotic locomotion, 417
Kung, F.-C., see Cheng, F.-T.
Kyriakopoulos, K. J., see Curran, A.

Lazaro, A. S., see Gurocak, H. B.
Lee, B. R., see Ro, P. I.
Lee, J. J., see Cheng, F.-T.
Lee, B. H., see Park, T. H.
Lee, C., see Bergerman, M.
Lei, J., see Everett, L. J.
Lim, S. Y., A partial state feedback controller for trajectory of rigid-link flexible-joint robots using an observed backstepping approach, 727
Lin, C.-F., Optimal assignment of robot tasks with precedence for multi-robot coordination by disjunctive graphs and state-space search, 219
Lin, Z. C., Impact reduction for redundant manipulators using augmented impedance control, 301
Lovass-Nagy, V., see Schilling, R. J.
Lue, T.-S., see Tseng, C.-S.

Mandal, N., Control strategies for robotic contact tasks: an experimental study, 67
Masory, O., Measurement of pose repeatability of Stewart platform, 821
Massa, R., see Gini, G.
Mayorga, R. V., A fast approach for the robust trajectory planning of redundant robot manipulators, 147
Murray, R. M., see Kelly, S. D.
Musto, J. C., Task reliability assessment in robotic systems, 583

Negretti, R., see Gini, G.
Nguyen, C. C., A robotically assisted munition loading system, 871

Ollero, A., see Shin, D. H.

Park, F. C., Geometric optimization algorithms for robot kinematic design, 453
Park, T. H., Dynamic control of a robot manipulator for high-performance conveyor tracking, 647
Pastorelli, S., see Ferraresi, C.
Patel, R. V., see Lin, Z. C.
Payandeh, S., see Mandal, N.
Perreault, L., see Gosselin, C. M.
Pfeiffer, F., see Eltze, J.
Piedboeuf, J.-C., The Jacobean matrix for a flexible manipulator, 709

Queiroz, M., see Lim, S. Y.

Rao, A. S., Friction and part curvature in parallel-jaw grasping, 365
Rattan, K. S., see Feliu, V.
Read, R., see Schilling, R. J.
Rimon, E., New bounds on the number of friction-aless fingers required to immobilize planar objects, 433
Ro, P. I., Two-arm kinematic posture optimization for fixtureless assembly, 55

Sanders, D. A., Real-time geometric modelling using models in an actuator space and Cartesian space, 19
Saridis, G. N., see Musto, J. C.
Sastry, S. S., see Cohn, M. B.
Schilling, R. J., Path tracking with the links of a planar hyper-redundant robotic manipulator, 189
Seelhammer, M. A., see Ro, P. I.
Seraji, H., Reachability analysis for base placement in mobile manipulators, 29
Seraji, H., see Lei, J.
Shin, D. H., Mobile robot path planning for fine-grained and smooth path specifications, 491
Singh, S. N., see Yim, W.
Smith, K. C., see He, X.
Soh, Y. C., see Ho, Y. K.
Song, S.-M., A study of reactional force compensation based on three-degree-of-freedom parallel platforms, 783
Sorli, M., see Ferraresi, C.
Spong, M. W., see Bedrosian, N. S.

Tahmasebi, F., On the stiffness of a novel six-degree-of-freedom parallel minimanipulator, 845
Tasch, U., see Hershkovitz, M.
Teboulle, M., see Hershkovitz, M.
Thompson, B. S., see Choi, S.-B.
Ting, Y., Torque redistribution and time regulation methods for actuator saturation avoidance of fault-tolerant parallel robots, 807
Tolson, R. H., see Hanson, M. L.
Tosunoglu, S., see Ting, Y.
Tsai, L.-W., see Tahmasebi, F.
Tsai, W.-H., see Lin, C.-F.
Tseng, C.-S., Collision detection for multiple robot manipulators by using orthogonal neural networks, 479
Tseng, C.-S., Path planning for robot manipulators in polyhedral objects environment, 637

Vaillancourt, C., see Gosselin, C. M.
Varma, K. R. H., Geometry-based efficient rate coordination for manipulators with kinematic redundancy, 275

Walker, G., see Schilling
Wang, D., see Ho, Y. K.
Wang, L.-C., On the velocity and acceleration analysis of general parallel robotic manipulators, 237
Wang, Z., Identification and resolution of structural and algorithmic singularity in redundancy control of serial manipulators, 465
Watson, L. T., see Chen, Y.
Wendlandt, J. M., see Cohn, M. B.
Wong, A. K. C., see Mayorga, R. V.
Wu, C.C., see Tseng, C.-S.

Xu, Y., see Bergerman, M.

Yao, C.-M., Joint space trajectory planning for flexible manipulators, 287
Yim, W., Sliding mode force, motion control, and stabilization of elastic manipulator in the presence of uncertainties, 315

Zhang, M.-D., see Song, S.-M.
Zheng, Y. F., see Chen, M. Z.
Zhmud, N., see Ferraresi, C.
Zhou, Z.-L., see Nguyen, C. C.
Zhou, M., Deadlock avoidance schemes in a distributed robotic system: Petri net modeling and analysis, 177
Zhou, J., A smart robot's geometric model inverting system, 629
Zhu, X., see Gupta, K. K.
Zsombor-Murray, P. J., see Daniali, H. R. M.